



NO.2120019819



始验 於物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

锂电池类货物

样品名称:

锂二氧化锰电池

CR2032 3.0V

225mAh

0.675Wh

Sample name:

Li-/MnO2 Battery

CR2032 3.0V

225mAh

0.675Wh

委托单位:

惠州亿纬锂能股份有限公司

EVE Energy Co., Ltd

生产单位:

惠州亿纬锂能股份有限公司

EVE Energy Co., Ltd



上海化工院检测有阻公司

Shanghai Research Institute of Chemical Industry Testing Co., Ltd





货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 2120019819 Page 1/3

品名称 mple	Chinese		3. OV 225mAh	0.675Wh	
	英文 English	Li-/MnO2 Battery CR203	2 3.0V 225mAh	0.675Wh	
委托单位 Consignor		惠州亿纬锂能股份有限公司 EVE Energy Co., Ltd			
生产单位 Manufacturer		惠州亿纬锂能股份有限公司 EVE Energy Co., Ltd			
Inspection method and procedure		IMO International Maritime Dangerous Goods Code (2018 Edition)			
Sample appearance		Silvery Button metal shell			
Package information		Weight≤30kg.			
Ba	ttery type	型号 Model			置方式 cement
不可充电锂金属电池芯 1 Primary Li-metal cell		CR2032	225mAh / ≤0	557 INDESCRIPTION	- 独运输 ery only
— H	金属电池。	Life of Auditorial Anterior of Staylor (Cody education (1999)			
DENTI FI 相	2. 海运按照国际海事组织《国际海运危险货物规则》办理的类项(Suggestion according to IMO IMDG Code)				
CATI O	The article is not subject to other provisions of IMO IMDG Code according to special provision 188.				
	3. 包装要求(Packaging requirements) 无。 None.				
N 08					
	检验日期: Inspection Date			生效日期: Effective Date:	2020-01-01
主 nent					
	Ame を	### Primary Li-metal cell DENTIFICATION CONCLUSION Appendix Appendix	### 表文 English 表文	English English English English Every Care and Every Care and Every Co., Ltd Ep 单位	### 英文 English

批准 Approver: 提口於



货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 2120019819 Page 2/3

序号	检验结果及其他事项				
No.	Inspection results and other things				
1	本报告所述锂电池按照《国际海运危险货物规则》(2018版) 2.9.4.5规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management programme as described in IMDG CODE 2018 EDITION 2.9.4.5.				
2	本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节和应测试要求。包装件能够承受1.2m跌落试验。 Lithium cells and batteries listed in this report are of the types proven to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. The package has passed the 1.2m drop test. UN38.3试验概要编号The UN38.3 Test Summary No.(s) 811900500249042 详细信息请扫描行侧:维码。Please scan the QR code on the right for more information.				
3	锂电池完全封装在内包装内,位于坚固的外包装中。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging.				
4	电池具有适当的防短路措施。 Cells and batteries are properly protected to prevent short circuits.				
5	每个包装件必须标示恰当的锂电池标记。装有锂电池的包装件,符合国际民航组织关于危险货物安全空运的《技术细则》第4部分第11章的包装说明965或968第IB部分规定的,黏贴5.2.1.10(锂电池标记)和5.2.2.2所示的9A型标签,应视为符合本特殊规定188的规定。 Each package shall be marked with the appropriate lithium battery mark. Packages containing lithium batteries packed in conformity with the provisions of part 4, chapter 11, packing instructions 965 or 968, section IB of the ICAO Technical Instructions for the Safe Transport of Dangerous Goods by air that bear the mark as shown in 5.2.1.10(lithium battery mark) and the label shown 5.2.2.2, Model No. 9A shall be deemed to meet the provisions of this special provision 188.				
6	/				
7					
	一验证码: 116576-				





货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods



